

Single Gas Detector



E1000 Portable Single Gas Detector

FEATURES


- · Interchangeable smart sensor module
- Intrinsically safe
- · Visual, audible and vibrative alarm
- Adjustable alarm levels and span calibration value
- STEL and TWA alarm for toxic gases
- Password management
- Real-time clock
- Self-test after power on
- · Self-diagonstic and self-correction function

APPLICATION

Steelworks, petrochemical plant, oil industry, shipbuilding yard, sewage treatment plant, mine, power supply works etc.

E1000 is a rechargeable single gas detector and is suitable for monitoring the gas concentration of flammable gas, O2 and toxic gases in the environment. It measures a gas continuously and displays its concentration and raises an alarm when a risk occurs. By adopting smart sensor module, it's easy for replacement and maintenance by the user himself.

APPEARANCE



- 1. Alarm light
- 4. Sensor Port
- 2. LCD Screen
- 5. Button
- 3. Buzzer port
- 6. Buckle

SPECIFICATIONS Note: For detecting other gases, please refer to our gas list.

Measuring gas	O2	CO	H2S	Combustible	Event log	10000 events
Measuring range	0-25%VOL	0-500ppm	0-100ppm	0-100%LEL	- Working temperature	Toxic gases: -20°C ~ 50°C
Sensor type	Electrochemical			Catalytic	Working temperature	Combustible: -40°C ~ 70°C
Measuring type	Diffuse naturally				WorkinAg humidity	<95%RH (no condensation)
Response time	T ₉₀ <30s				Housing	Rubber enclosure
Display	LCD screen				Standard accessories	Operation manual, calibration cap, charger, screwdriver
Audible	≥80dB at 1m					
Alarm method	Visual, audible and vibrative signals				Optional function	Data upload through USB cable
Battery	DC3.7V 1800mAh Lithium battery				Dimension	108mm*61mm*36mm
Operating life	Toxic gases: ≥300h per charge Combustible: ≥8h per charge				Weight	About 190g
Operating life					Ex grade	Ex ib IIC T4
Charging time	4-6h				Ingress protection	IP66

Welcome to Hanwei!



汉威科技集团股份有限公司 Hanwei Electronics Group Corporation

ADD: No.169 Xuesong Road, National & High Tech Zone, Zhengzhou 450001, Henan, China P.C: 450001

www.hwsensor.com

TEL: 86-371-67169070 / 80 FAX: 86-371-67169090

E-mail: sales@hwsensor.com